

Camera Stabilizer Systems



TABLE OF CONTENTS

Camera Stabilizer Systems (artemis / TRINITY)	
artemis Cine Broadcast	3
artemis EFP Broadcast	5
TRINITY	9
artemis Vest	12
artemis Spring Arms	13
artemis Accessories & Components	15
artemis Cases & Raincovers	24
Camera Stabilizer Systems (MAXIMA)	
MAXIMA	26
MAXIMA Accessories & Components	27
MAXIMA Cases	28
Monitors	
Monitors	29
Cables and Power Supplies	
Power Supplies and Power Cables	31
Video Cables	37
Tally Cables	38

All sales are subject to our General Sale and Delivery Terms and Conditions for Merchants dated 01.01.2006
Prices, specifications and technical data contained herein are subject to change without notice
Terms of delivery: Ex factory Munich, packing, shipping and insurance charges not included. VAT not included
Export of all ARRI products to other countries only with ARRI's previous consent in writing
Effective 01-08-2016 . All previous price lists are obsolete

Technical Data are subject to change without notice

Camera Stabilizer Systems (artemis / TRINITY)

Ident Nr	Product Description/Weight & Dimensions
----------	---

artemis Cine Broadcast

The perfect cross-over solution for high-end digital cinematography and broadcast productions. The modular and future-proof design of Cine Broadcast combines all features needed for both worlds and more outstanding functions such as: 12/24V power supply, 210 Watt high capacity wiring, hot swap, 3 battery mounts, 2 x HD SDI Video, 1x SD Video and Tally support. The 1.8'' Post and the 2'' gimbal allow up to 40 Kg / 88 lb payload.

K0.0012255 artemis Cine Broadcast 1.8'' Basic Set Gold Mount

includes:

- K2.0010313 1x artemis Cine Broadcast 1.8'' / Anton Bauer
- K2.0010319 1x artemis Docking Bracket / 1.8''
- K2.0010443 1x artemis Camera Plate 8''
- K2.0010461 1x artemis Post Tool 1.8'' / 1.5''
- K2.0010434 1x 4mm Hex Key 5/32''
- K2.0010436 1x 2 mm Hex Key
- K2.0010437 1x 1.5 mm Hex Key
- K2.0010470 1x Cam Power / Cine / 12V XLR HiCap
- K2.0010471 1x Cam Power / Cine / 24V / ARRI
- K2.0010538 1x Cam Power / Cine / 12V HiCap / ALEXA
- K2.0010540 1x Cam Power / Cine / 12V HiCap / ALEXA Mini



K0.0012258 artemis Cine Broadcast 1.8'' Basic Set V-Mount

includes:

- K2.0010314 1x artemis Cine Broadcast 1.8'' / V-Mount
- K2.0010319 1x artemis Docking Bracket / 1.8''
- K2.0010443 1x artemis Camera Plate 8''
- K2.0010461 1x artemis Post Tool 1.8'' / 1.5''
- K2.0010434 1x 4mm Hex Key 5/32''
- K2.0010436 1x 2 mm Hex Key
- K2.0010437 1x 1.5 mm Hex Key
- K2.0010470 1x Cam Power / Cine / 12V XLR HiCap
- K2.0010471 1x Cam Power / Cine / 24V / ARRI
- K2.0010538 1x Cam Power / Cine / 12V HiCap / ALEXA
- K2.0010540 1x Cam Power / Cine / 12V HiCap / ALEXA Mini



Camera Stabilizer Systems (artemis / TRINITY)

Ident Nr	Product Description/Weight & Dimensions
----------	---

K0.0012259	artemis Cine Broadcast 1.8'' Pro Set Gold Mount
-------------------	--

includes:

K2.0010313 1x artemis Cine Broadcast 1.8'' / Anton Bauer
 K2.0010319 1x artemis Docking Bracket / 1.8''
 K2.0010443 1x artemis Camera Plate 8''
 K2.0010461 1x artemis Post Tool 1.8'' / 1.5''
 K2.0010436 1x 2 mm Hex Key
 K2.0010434 1x 4mm Hex Key 5/32''
 K2.0010437 1x 1.5 mm Hex Key
 K2.0010471 1x Cam Power / Cine / 24V / ARRI
 K2.0010538 1x Cam Power / Cine / 12V HiCap / ALEXA
 K2.0010321 1x artemis Monitor Bracket 6'' / 140 mm Rods / 1.5'' clamp
 K2.0010521 1x Transvideo CineMonitorHD6 SBL Evolution
 K2.0010546 1x 12V Power Cable / Camera & Monitor
 K2.0010476 2x Video Cable / HD SDI / 4.5 GHz / BNC -> BNC
 K2.0010433 1x C-Stand Turtle Base
 K2.0010462 1x Steadi Sleeve
 K2.0010438 1x SKB Case Medium



K0.0012260	artemis Cine Broadcast 1.8'' Pro Set V-Mount
-------------------	---

includes:

K2.0010314 1x artemis Cine Broadcast 1.8'' / V-Mount
 K2.0010319 1x artemis Docking Bracket / 1.8''
 K2.0010443 1x artemis Camera Plate 8''
 K2.0010461 1x artemis Post Tool 1.8'' / 1.5''
 K2.0010434 1x 4mm Hex Key 5/32''
 K2.0010436 1x 2 mm Hex Key
 K2.0010437 1x 1.5 mm Hex Key
 K2.0010470 1x Cam Power / Cine / 12V XLR HiCap
 K2.0010471 1x Cam Power / Cine / 24V / ARRI
 K2.0010538 1x Cam Power / Cine / 12V HiCap / ALEXA
 K2.0010540 1x Cam Power / Cine / 12V HiCap / ALEXA Mini
 K2.0010321 1x artemis Monitor Bracket 6'' / 140 mm Rods / 1.5'' clamp
 K2.0010521 1x Transvideo CineMonitorHD6 SBL Evolution
 K2.0010546 1x 12V Power Cable / Camera & Monitor
 K2.0010476 2x Video Cable / HD SDI / 4.5 GHz / BNC -> BNC
 K2.0010433 1x C-Stand Turtle Base
 K2.0010462 1x Steadi Sleeve
 K2.0010438 1x SKB Case Medium



Camera Stabilizer Systems (artemis / TRINITY)

Ident Nr	Product Description/Weight & Dimensions
----------	---

artemis EFP Broadcast

The artemis EFP HD is made to support not only today's HD broadcast cameras in live TV and sport but also digital cinematography in the most professional way ever. High-capacity wiring, hot swap, HD SDI Video and Tally support guarantee a perfect work-flow in a future-proof and modular design.

The EFP HD is available in a 1.5" post diameter and a 1.8" post diameter version to suit all requirements and budgets. Later upgrades are possible.

K0.0012272 artemis EFP HD 1.5" Basic Set Gold Mount

includes:

K2.0010315 1x artemis EFP HD 1.5" / Anton Bauer
 K2.0010319 1x artemis Docking Bracket / 1.8"
 K2.0010443 1x artemis Camera Plate 8"
 K2.0010461 1x artemis Post Tool 1.8" / 1.5"
 K2.0010434 1x 4mm Hex Key 5/32"
 K2.0010436 1x 2 mm Hex Key
 K2.0010437 1x 1.5 mm Hex Key
 K2.0010473 1x Cam Power / EFP / 12V XLR HiCap
 K2.0010474 1x Cam Power / EFP / 12V HiCap / ALEXA
 K2.0010544 1x Cam Power / EFP / 12V HiCap / ALEXA Mini



K0.0012276 artemis EFP HD 1.8" Basic Set Gold Mount

includes:

K2.0010317 1x artemis EFP HD 1.8" / Anton Bauer
 K2.0010319 1x artemis Docking Bracket / 1.8"
 K2.0010443 1x artemis Camera Plate 8"
 K2.0010461 1x artemis Post Tool 1.8" / 1.5"
 K2.0010434 1x 4mm Hex Key 5/32"
 K2.0010436 1x 2 mm Hex Key
 K2.0010437 1x 1.5 mm Hex Key
 K2.0010473 1x Cam Power / EFP / 12V XLR HiCap
 K2.0010474 1x Cam Power / EFP / 12V HiCap / ALEXA
 K2.0010544 1x Cam Power / EFP / 12V HiCap / ALEXA Mini



Camera Stabilizer Systems (artemis / TRINITY)

Ident Nr	Product Description/Weight & Dimensions
----------	---

K0.0012278	artemis EFP HD 1.8'' Basic Set V-Mount
-------------------	---

includes:

K2.0010318 1x artemis EFP HD 1.8'' / V-Mount
 K2.0010319 1x artemis Docking Bracket / 1.8''
 K2.0010443 1x artemis Camera Plate 8''
 K2.0010461 1x artemis Post Tool 1.8'' / 1.5''
 K2.0010434 1x 4mm Hex Key 5/32''
 K2.0010436 1x 2 mm Hex Key
 K2.0010437 1x 1.5 mm Hex Key
 K2.0010473 1x Cam Power / EFP / 12V XLR HiCap
 K2.0010474 1x Cam Power / EFP / 12V HiCap / ALEXA
 K2.0010544 1x Cam Power / EFP / 12V HiCap / ALEXA Mini



K0.0012274	artemis EFP HD 1.5'' Pro Set Gold Mount
-------------------	--

includes:

K2.0010315 1x artemis EFP HD 1.5'' / Anton Bauer
 K2.0010319 1x artemis Docking Bracket / 1.8''
 K2.0010443 1x artemis Camera Plate 8''
 K2.0010461 1x artemis Post Tool 1.8'' / 1.5''
 K2.0010434 1x 4mm Hex Key 5/32''
 K2.0010436 1x 2 mm Hex Key
 K2.0010437 1x 1.5 mm Hex Key
 K2.0010473 1x Cam Power / EFP / 12V XLR HiCap
 K2.0010474 1x Cam Power / EFP / 12V HiCap / ALEXA
 K2.0010544 1x Cam Power / EFP / 12V HiCap / ALEXA Mini
 K2.0010321 1x artemis Monitor Bracket 6'' / 140 mm Rods / 1.5'' clamp
 K2.0010430 1x Transvideo Rainbow HD 7 SBL
 K2.0010546 1x 12V Power Cable / Camera & Monitor
 K2.0010476 2x Video Cable / HD SDI / 4.5 GHz / BNC -> BNC
 K2.0010433 1x C-Stand Turtle Base
 K2.0010462 1x Steadi Sleeve
 K2.0010438 1x SKB Case Medium



Camera Stabilizer Systems (artemis / TRINITY)

Ident Nr	Product Description/Weight & Dimensions
----------	---

K0.0012275 artemis EFP HD 1.5'' Pro Set V-Mount

inclusive

- K2.0010316 1x artemis EFP HD 1.5'' / V-Mount
- K2.0010319 1x artemis Docking Bracket / 1.8''
- K2.0010443 1x artemis Camera Plate 8''
- K2.0010461 1x artemis Post Tool 1.8'' / 1.5''
- K2.0010434 1x 4mm Hex Key 5/32''
- K2.0010436 1x 2 mm Hex Key
- K2.0010437 1x 1.5 mm Hex Key
- K2.0010473 1x Cam Power / EFP / 12V XLR HiCap
- K2.0010474 1x Cam Power / EFP / 12V HiCap / ALEXA
- K2.0010544 1x Cam Power / EFP / 12V HiCap / ALEXA Mini
- K2.0010321 1x artemis Monitor Bracket 6'' / 140 mm Rods / 1.5'' clamp
- K2.0010430 1x Transvideo Rainbow HD 7 SBL
- K2.0010546 1x 12V Power Cable / Camera & Monitor
- K2.0010476 2x Video Cable / HD SDI / 4.5 GHz / BNC -> BNC
- K2.0010433 1x C-Stand Turtle Base
- K2.0010462 1x Steadi Sleeve
- K2.0010438 1x SKB Case Medium



K0.0012280 artemis EFP HD 1.8'' Pro Set Gold Mount

includes:

- K2.0010317 1x artemis EFP HD 1.8'' / Anton Bauer
- K2.0010319 1x artemis Docking Bracket / 1.8''
- K2.0010443 1x artemis Camera Plate 8''
- K2.0010461 1x artemis Post Tool 1.8'' / 1.5''
- K2.0010434 1x 4mm Hex Key 5/32''
- K2.0010436 1x 2 mm Hex Key
- K2.0010437 1x 1.5 mm Hex Key
- K2.0010473 1x Cam Power / EFP / 12V XLR HiCap
- K2.0010474 1x Cam Power / EFP / 12V HiCap / ALEXA
- K2.0010544 1x Cam Power / EFP / 12V HiCap / ALEXA Mini
- K2.0010321 1x artemis Monitor Bracket 6'' / 140 mm Rods / 1.5'' clamp
- K2.0010430 1x Transvideo Rainbow HD 7 SBL
- K2.0010546 1x 12V Power Cable / Camera & Monitor
- K2.0010476 2x Video Cable / HD SDI / 4.5 GHz / BNC -> BNC
- K2.0010433 1x C-Stand Turtle Base
- K2.0010462 1x Steadi Sleeve
- K2.0010438 1x SKB Case Medium



Camera Stabilizer Systems (artemis / TRINITY)

Ident Nr	Product Description/Weight & Dimensions
K0.0012281	artemis EFP HD 1.8'' Pro Set V-Mount includes: - K2.0010318 1x artemis EFP HD 1.8'' / V-Mount - K2.0010319 1x artemis Docking Bracket / 1.8'' - K2.0010443 1x artemis Camera Plate 8'' - K2.0010461 1x artemis Post Tool 1.8'' / 1.5'' - K2.0010434 1x 4mm Hex Key 5/32'' - K2.0010436 1x 2 mm Hex Key - K2.0010437 1x 1.5 mm Hex Key - K2.0010473 1x Cam Power / EFP / 12V XLR HiCap - K2.0010474 1x Cam Power / EFP / 12V HiCap / ALEXA - K2.0010544 1x Cam Power / EFP / 12V HiCap / ALEXA Mini - K2.0010321 1x artemis Monitor Bracket 6'' / 140 mm Rods / 1.5'' clamp - K2.0010430 1x Transvideo Rainbow HD 7 SBL - K2.0010546 1x 12V Power Cable / Camera & Monitor - K2.0010476 2x Video Cable / HD SDI / 4.5 GHz / BNC -> BNC - K2.0010433 1x C-Stand Turtle Base - K2.0010462 1x Steadi Sleeve - K2.0010438 1x SKB Case Medium



Camera Stabilizer Systems (artemis / TRINITY)

Ident Nr	Product Description/Weight & Dimensions
----------	---

TRINITY

TRINITY is the most advanced combination of classic mechanical and modern electronic stabilization. This 5 axis hybrid system allows revolutionary new movements and new ways to film the story in high end digital cinematography and broadcast productions. Based on the modular design of the artemis product range, existing artemis systems can be upgraded with the TRINITY components. The TRINITY can be fully customized to meet the personal needs of the owner / operator.

Key features: Up to 30 Kg / 66 lb payload, 210 Watt high capacity wiring, hot swap, 2 x HD SDI Video, Tally support, Video and Focus power, Can Bus and ARRI Ext control

K0.0012288 TRINITY Rig Gold Mount Pro Set

includes:

- K2.0010286 1x TRINITY Rig
- K2.0010287 1x TRINITY Joystick / Monitor Mount
- K2.0006960 1x Transvideo StarliteHD5-ARRI OLED Monitor
- K2.0010295 1x ALEXA Mini / AMIRA Control Cable 6 Pin
- K2.0010288 3x TRINITY Battery Mount / Gold Mount
- K2.0010319 1x artemis Docking Bracket / 1.8"
- K2.0010434 1x 4mm Hex Key 5/32"
- K2.0010436 1x 2 mm Hex Key
- K2.0010437 1x 1.5 mm Hex Key
- K2.0010296 1x TRINITY External Power Cable
- K2.0010470 1x Cam Power / Cine / 12V XLR HiCap
- K2.0010538 1x Cam Power / Cine / 12V HiCap / ALEXA
- K2.0010540 1x Cam Power / Cine / 12V HiCap / ALEXA Mini
- K2.0010476 1x Video Cable / HD SDI / 4.5 GHz / BNC -> BNC



K0.0012289 TRINITY Rig V-Mount Pro Set

includes:

- K2.0010286 1x TRINITY Rig
- K2.0010287 1x TRINITY Joystick / Monitor Mount
- K2.0006960 1x Transvideo StarliteHD5-ARRI OLED Monitor
- K2.0010295 1x ALEXA Mini / AMIRA Control Cable 6 Pin
- K2.0010289 3x TRINITY Battery Mount / V-Mount
- K2.0010319 1x artemis Docking Bracket / 1.8"
- K2.0010434 1x 4mm Hex Key 5/32"
- K2.0010436 1x 2 mm Hex Key
- K2.0010437 1x 1.5 mm Hex Key
- K2.0010296 1x TRINITY External Power Cable
- K2.0010470 1x Cam Power / Cine / 12V XLR HiCap
- K2.0010538 1x Cam Power / Cine / 12V HiCap / ALEXA
- K2.0010540 1x Cam Power / Cine / 12V HiCap / ALEXA Mini
- K2.0010476 1x Video Cable / HD SDI / 4.5 GHz / BNC -> BNC



Camera Stabilizer Systems (artemis / TRINITY)

Ident Nr	Product Description/Weight & Dimensions
K0.0012293	TRINITY Upgrade for artemis 3B 2.5" Gold Mount Pro Set
	includes: - K2.0010282 1x TRINITY upgrade Bundle / 3B - 2.5" - K2.0010287 1x TRINITY Joystick / Monitor Mount - K2.0006960 1x Transvideo StarliteHD5-ARRI OLED Monitor - K2.0010288 2x TRINTY Battery Mount / Gold Mount - K2.0010290 1x TRINITY PWR / Lemo 1B 4pin -> 1B 4pin - K2.0010291 1x TRINITY PWR / Lemo 1S 3pin -> 1B 4pin - K2.0010295 1x ALEXA Mini / AMIRA Control Cable 6 Pin - K2.0010296 1x TRINITY External Power Cable 
K0.0012294	TRINITY Upgrade for artemis 3B 2.5" V-Mount Pro Set
	includes: - K2.0010282 1x TRINITY upgrade Bundle / 3B - 2.5" - K2.0010287 1x TRINITY Joystick / Monitor Mount - K2.0006960 1x Transvideo StarliteHD5-ARRI OLED Monitor - K2.0010289 2x TRINTY Battery Mount / V-Mount - K2.0010290 1x TRINITY PWR / Lemo 1B 4pin -> 1B 4pin - K2.0010291 1x TRINITY PWR / Lemo 1S 3pin -> 1B 4pin - K2.0010295 1x ALEXA Mini / AMIRA Control Cable 6 Pin - K2.0010296 1x TRINITY External Power Cable 
K0.0012290	TRINITY Upgrade for artemis 2B 2.5" Gold Mount Pro Set
	includes: - K2.0010283 1x TRINITY upgrade Bundle / 2B - 2.5" - K2.0010287 1x TRINITY Joystick / Monitor Mount - K2.0006960 1x Transvideo StarliteHD5-ARRI OLED Monitor - K2.0010288 2x TRINTY Battery Mount / Gold Mount - K2.0010290 1x TRINITY PWR / Lemo 1B 4pin -> 1B 4pin - K2.0010291 1x TRINITY PWR / Lemo 1S 3pin -> 1B 4pin - K2.0010295 1x ALEXA Mini / AMIRA Control Cable 6 Pin - K2.0010296 1x TRINITY External Power Cable 

Camera Stabilizer Systems (artemis / TRINITY)

Ident Nr	Product Description/Weight & Dimensions
----------	---

K0.0012292 TRINITY Upgrade for artemis 2B 2.5" V-Mount Pro Set

includes:

K2.0010283 1x TRINITY upgrade Bundle / 2B - 2.5"
 K2.0010287 1x TRINITY Joystick / Monitor Mount
 K2.0006960 1x Transvideo StarliteHD5-ARRI OLED Monitor
 K2.0010289 2x TRINITY Battery Mount / V-Mount
 K2.0010290 1x TRINITY PWR / Lemo 1B 4pin -> 1B 4pin
 K2.0010291 1x TRINITY PWR / Lemo 1S 3pin -> 1B 4pin
 K2.0010295 1x ALEXA Mini / AMIRA Control Cable 6 Pin
 K2.0010296 1x TRINITY External Power Cable



K0.0012295 TRINITY Upgrade for GPI Pro 2.5" Gold Mount Basic Set

includes:

K2.0010285 1x TRINITY upgrade Bundle / GPI Pro
 K2.0010319 1x artemis Docking Bracket / 1.8"
 K2.0010287 1x TRINITY Joystick / Monitor Mount
 K2.0010288 3x TRINITY Battery Mount / Gold Mount
 K2.0010301 1x TRINITY PWR / GPI Pro / Lemo 1S 3pin -> 1B 4pin
 K2.0010302 1x TRINITY PWR / GPI Pro / Lemo 2B 3pin -> 1B 4pin
 K2.0010296 1x TRINITY External Power Cable



K0.0012296 TRINITY Upgrade for GPI Pro 2.5" V-Mount Basic Set

includes:

K2.0010285 1x TRINITY upgrade Bundle / GPI Pro
 K2.0010319 1x artemis Docking Bracket / 1.8"
 K2.0010287 1x TRINITY Joystick / Monitor Mount
 K2.0010289 3x TRINITY Battery Mount / V-Mount
 K2.0010301 1x TRINITY PWR / GPI Pro / Lemo 1S 3pin -> 1B 4pin
 K2.0010302 1x TRINITY PWR / GPI Pro / Lemo 2B 3pin -> 1B 4pin
 K2.0010296 1x TRINITY External Power Cable



Camera Stabilizer Systems (artemis / TRINITY)

Ident Nr	Product Description/Weight & Dimensions
----------	---

artemis Vest

The artemis vest has seven segments that can be freely positioned in height and width allowing operators to adjust the shoulder, chest and hip segments perfectly to their individual physique. The perfect fit of this vest therefore allows longer operating times as the operator will not get exhausted too quickly. The vest also prevents an unhealthy posture that may cause pain if maintained too long. The artemis Vest fits all operators, regardless of their individual body height and girth. The modular design means the padding is interchangeable thus allowing more than one operator to use the same artemis vest by inserting his own pad set.

K2.0010333 artemis Vest

4400 gr 350x450x500 mm

Highly adjustable and modular vest. Only extreme comfortable and modern fabrics are used for the artemis vest.

Fits any operator from 1.5 m up to 2 m. / 4.9 ft up to 6.56 ft

With Standard industrial vest - arm connector

Incl. vest soft bag



Camera Stabilizer Systems (artemis / TRINITY)

Ident Nr	Product Description/Weight & Dimensions
----------	---

artemis Spring Arms

The artemis spring arm offers an extremely rigid and torsion-free design. The perfect bearing of the axes guarantees an extremely quick response of the arm and smooth insulation of the operator's movement. The lightweight artemis spring arm offers the best payload to weight ratio on the market. Exchangeable spring sets cover a payload from 10 Kg to 26 Kg / 22 lb to 57.3 lb. The low weight and agility of the artemis spring arm can be improved further by using carbon fiber segments or so called "bones". The aluminium version can also be upgraded later with the carbon fiber bones.

K0.0012282 artemis Spring Arm 19 Kg Pro Set

includes:

K2.0010327 1x artemis Spring Arm / 19 kg

K2.0010435 1x 6 mm Hex Key 1/4"

K2.0010463 1x Arm Soft Bag



K0.0012283 artemis Spring Arm 23 Kg Pro Set

includes:

K2.0010328 x artemis Spring Arm / 23 kg

K2.0010435 x 6 mm Hex Key 1/4"

K2.0010463 x Arm Soft Bag



K0.0012284 artemis Spring Arm 26 Kg Pro Set

includes:

K2.0010329 1x artemis Spring Arm / 26 kg

K2.0010435 1x 6 mm Hex Key 1/4"

K2.0010463 1x Arm Soft Bag



K0.0012285 artemis Spring Arm Carbon 19 Kg Pro Set

includes:

K2.0010330 1x artemis Spring Arm Carbon / 19 kg

K2.0010435 1x 6 mm Hex Key 1/4"

K2.0010463 1x Arm Soft Bag



Camera Stabilizer Systems (artemis / TRINITY)

Ident Nr	Product Description/Weight & Dimensions
----------	---

K0.0012286	artemis Spring Arm Carbon 23 Kg Pro Set
-------------------	--

inclusive:

K2.0010331 1x artemis Spring Arm Carbon / 23 kg

K2.0010435 1x 6 mm Hex Key 1/4"

K2.0010463 1x Arm Soft Bag



K0.0012287	artemis Spring Arm Carbon 26 Kg Pro Set
-------------------	--

includes:

K2.0010332 1x artemis Spring Arm Carbon / 26 kg

K2.0010435 1x 6 mm Hex Key 1/4"

K2.0010463 1x Arm Soft Bag



Camera Stabilizer Systems (artemis / TRINITY)

Ident Nr	Product Description/Weight & Dimensions
----------	---

artemis Accessories & Components

K2.0010319 artemis Docking Bracket / 1.8"

1800 gr 100x150x400 mm

artemis Docking Bracket for artemis systems using the 1.8" post and the wide docking ring.

For C-Stands with 5/8" / 15.8 mm spigot

For artemis Cine Broadcast 1.8" / Cine HD 1.8" / EFP HD 1.8"



K2.0010320 artemis Docking Bracket / 1.8" / 1.5"

1800 gr 100x150x400 mm

artemis Docking Bracket for artemis systems using the 1.8" post and the small docking ring.

This Docking Bracket will be needed when an older artemis rig had been upgraded with the new 1.8" post / for C-Stands with 5/8" / 15.8 mm spigot

For artemis Cine HD / Cine / EFP HD / EFP



K2.0010556 Pivoting Yoke Upgrade, Docking

This upgrade kit allows you to pivot your rig 30° fore and aft in the artemis artemis Docking Bracket. Only for the actual artemis Docking Bracket.



K2.0010321 artemis Monitor Bracket 6" / 140 mm Rods / 1.5" clamp

1000 gr 70x220x300 mm

artemis Monitor Bracket for the Transvideo 6" Cine HD monitor, with 140 mm / 5.51" rods, including 1.5" post clamp.

Works with all 1.5" & 1.8" posts.



K2.0010322 artemis Monitor Bracket 8" / 140 mm Rods / 1.5" clamp

1000 gr 70x240x320 mm

artemis Monitor Bracket for the Transvideo 8" Cine HD monitor, with 140 mm / 5.51" rods, including 1.5" post clamp.

Works with all 1.5" & 1.8" posts.



Camera Stabilizer Systems (artemis / TRINITY)

Ident Nr	Product Description/Weight & Dimensions
----------	---

K2.0010323	artemis Monitor Bracket 6" / 140 mm Rods / no clamp
-------------------	--

	1000 gr 70x220x300 mm
--	-----------------------

artemis Monitor Bracket for the Transvideo 6" Cine HD monitor, with 140 mm / 5.51" rods.

Note:

Without post clamp!

Upgrade for existing 1.5" Post clamps



K2.0010324	artemis Monitor Bracket 8" / 140 mm Rods / no clamp
-------------------	--

	1000 gr 70x240x320 mm
--	-----------------------

artemis Monitor Bracket for the Transvideo 8" Cine HD monitor, with 140 mm / 5.51" rods.

Note:

Without post clamp!

Upgrade for existing 1.5" Post clamps



K2.0010457	artemis Universal TFT Monitor Mount
-------------------	--

	100 gr 30x50x100 mm
--	---------------------

artemis Universal monitor mounting adapter for TFT monitors

Bubble must be ordered separately!

Works with all monitor brackets which are using the classic spigot.



K2.0010432	Spirit Bubble by Transvideo
-------------------	------------------------------------

	100 gr 20x20x50 mm
--	--------------------

Bubble for the use with the artemis Universal TFT Monitor Mount.



K2.0010458	Monitor Bracket Post Clamp / 1.5"
-------------------	--

	200 gr 30x60x90 mm
--	--------------------

1.5" Post Clamp for actual artemis monitor bracket and 1. generation artemis Monitor Bracket.



Camera Stabilizer Systems (artemis / TRINITY)

Ident Nr	Product Description/Weight & Dimensions
----------	---

K2.0010459	Monitor Bracket Post Clamp / 1.8"
-------------------	--

250 gr 40x70x100 mm

1.8" Post Clamp for actual artemis monitor bracket and 1. generation artemis Monitor Bracket.



K2.0010530	Monitor Bracket Adapter Kit / SmallHD 7"
-------------------	---

10 gr 10x30x30 mm

Spacers which allows the use of a Small HD 7" monitor with the artemis 6" Monitor Bracket



K2.0010641	Monitor Mount for Transvideo
-------------------	-------------------------------------

200 gr 50x50x30 mm

Monitor mounting adapter for Transvideo CineHD 6", CineHD 8", RainbowHD and the Starlight monitors.



K2.0010460	Bracket for Second Monitor
-------------------	-----------------------------------

50 gr 30x30x120 mm

Additional monitor bracket to mount a second small monitor onto the rods of all artemis artemis monitor brackets as also onto the telescopic monitor bracket 6612.

Note: Transvideo monitor mount 6639 is not included

Works with all artemis Monitor Brackets with $\varnothing 15.9$ mm / 0.62" rods



K2.0010443	artemis Camera Plate 8"
-------------------	--------------------------------

180 gr 10x90x210 mm

camera dovetail plate

Length: 20,3 cm / 8" - 190 gr. 6.7oz.

For all artemis and GPI Pro systems



Camera Stabilizer Systems (artemis / TRINITY)

Ident Nr	Product Description/Weight & Dimensions
----------	---

K2.0010446	artemis Focus Bracket
-------------------	------------------------------

<i>50 gr</i>	<i>10x50x100 mm</i>
--------------	---------------------

Receiver mount for Genio, Aladin, Fox, C-Motion, Preston
Note: For C-Motion and Preston additional adapters are needed.
For all artemis systems



K2.0010447	CFAST artemis adapter
-------------------	------------------------------

<i>30 gr</i>	<i>10x20x40 mm</i>
--------------	--------------------

Adapter to mount the CAMIN receiver unit at the artemis Focus Bracket
CM Nr.: C01R-K61
For the artemis Focus Bracket



K2.0010448	Universal Focus Bracket for Preston
-------------------	--

<i>40 gr</i>	<i>10x130x130 mm</i>
--------------	----------------------

Focus bracket adapter to mount Preston MDR2 or MDR3 focus receivers onto the artemis focus bracket.
For the artemis Focus Bracket



K2.0010449	Recorder Bracket
-------------------	-------------------------

<i>100 gr</i>	<i>10x90x180 mm</i>
---------------	---------------------

Platform mount for lower sled to store a recorder, transmitter, or other accessories
only For Cine HD, CineHD, Cine
Only for the artemis Cine Broadcast / Cine HD Pro / CineHD / Cine



K2.0010297	C-Battery Bracket pre assembled
-------------------	--

<i>250 gr</i>	<i>40x80x130 mm</i>
---------------	---------------------

Plain bracket to mount transmitters, recorders or other accessories.
Useable area: 12 x 7.5 cm / 4.72" x 2.95"
For all TRINITY systems / artemis Cine Broadcast / Cine HD Pro / EFP HD

K2.0010451	D-Bracket 10" Set
-------------------	--------------------------

<i>300 gr</i>	<i>40x90x260 mm</i>
---------------	---------------------

Incl. arm posts Ø 15.8 mm (5/8 in) - length 76 mm (3 in) & 254 mm 10 in
Works all spring arms and gimbals which are compatible to Ø 15.8 mm (5/8 in)



Camera Stabilizer Systems (artemis / TRINITY)

Ident Nr	Product Description/Weight & Dimensions
----------	---

K2.0010452	D-Bracket 12'' Set 300 gr 40x90x310 mm
-------------------	--

Incl. arm posts Ø 15.8 mm (5/8 in) - length 76 mm (3 in) & 300 mm (12 in)
Works all spring arms and gimbals which are compatible to Ø 15.8 mm (5/8 in)



K2.0010454	Arm Post 3'' - Ø 5/8'' 50 gr 20x20x80 mm
-------------------	--

Ø 15.8 mm (5/8 in) - length 76 mm (3 in)
Ø 15.8 mm (5/8 in) - length 76 mm (3 in)
Works all spring arms and gimbals which are compatible to Ø 15.8 mm (5/8 in)



K2.0010453	Arm Post 6'' - Ø 5/8'' 50 gr 20x20x160 mm
-------------------	---

Ø 15.8 mm (5/8 in) - length 152.4 mm (6 in)
Ø 5/8 in (15.8 mm) - length 152.4 mm (6 in)
Works all spring arms and gimbals which are compatible to Ø 15.8 mm (5/8 in)



K2.0010455	Arm Post 10'' - Ø 5/8'' 100 gr 20x20x260 mm
-------------------	---

Ø 15.8 mm (5/8 in) - length 254 mm (10 in)
Ø 15.8 mm (5/8 in) - length 254 mm (10 in)
Works all spring arms and gimbals which are compatible to Ø 15.8 mm (5/8 in)



K2.0010456	Arm Post 12'' - Ø 5/8'' 100 gr 20x20x310 mm
-------------------	---

Ø 15.8 mm (5/8 in) - length 300 mm (12 in)
Ø 15.8 mm (5/8 in) - length 300 mm (12 in)
Works all spring arms and gimbals which are compatible to Ø 15.8 mm (5/8 in)



Camera Stabilizer Systems (artemis / TRINITY)

Ident Nr	Product Description/Weight & Dimensions	
K2.0010510	Arm Post Clamp Ring <i>50 gr 10x30x30 mm</i> Spare arm post clamp ring For Ø 15.8 mm (5/8 in) arm posts	
K2.0010511	Delrin Washer Ø 5/8" <i>10 gr 10x30x30 mm</i> Spare Delrin washer For Ø 15.8 mm (5/8 in) arm posts	
K2.0010490	artemis Carbon Post 1.5" <i>500 gr 60x60x460 mm</i> artemis telescopic centre post / Ø 1.5" diameter / outer post carbon - guided aluminium inner post / post clamp using 4mm (5/32) hex key. Length 42 cm - 70 cm / 16.5" - 27.5" For all artemis Cine and EFP systems (except EFP HD SDI Pro)	
K2.0010489	artemis Carbon Center Post 1.8" <i>900 gr 70x70x500 mm</i> artemis telescopic centre post / Ø 1.8" diameter / carbon fibre / no-tool clamp / torsion-free guided inner post / length fine trim Length 43 cm - 72 cm / 16.9" - 28.3" For all artemis Cine and EFP systems (except EFP HD SDI Pro)	
K2.0010491	artemis Carbon Super Post 1.8" <i>1000 gr 70x70x1350 mm</i> artemis telescopic super post / Ø 1.8" diameter / carbon fibre / no-tool clamp / torsion-free guided inner post / no length fine trim Length from 115 cm - 200 cm / 3.77 ft - 6.56 ft For all artemis Cine and EFP systems (except EFP HD SDI Pro)	
K2.0010492	artemis Gimbal 1.5" <i>800 gr 140x240x210 mm</i> artemis 1.5" Gimbal / super low friction / patented self centering design / no-tool gimbal clamp Only for 1.5" / 38.1 mm diameter centre post For all artemis systems and other systems with a 1.5" post	

Camera Stabilizer Systems (artemis / TRINITY)

Ident Nr	Product Description/Weight & Dimensions	
K2.0010493	artemis Gimbal 1.8" 900 gr 140x240x210 mm artemis 1.8" Gimbal / super low friction / patented self centering design / no-tool gimbal clamp Only for 1.8" diameter centre post For all artemis Cine and EFP systems with 1.8" post	
K2.0010569	Gimbal Handle Extender 100 gr 30x30x50 mm Extends the length of the artemis Gimbal handle by 35mm / 1,37" Only for artemis Gimbals with the bended round handle	
K2.0010563	artemis Post / 1.8" / GPI Pro 900 gr 70x70x500 mm artemis telescopic centre post for GPI Pro rigs / Ø 1.8" diameter / carbon fibre / no-tool clamp / torsion-free guided inner post / length fine trim. For all GPI Pro rigs Length 43 cm - 72 cm / 16.9" - 28.3" Note: Docking Bracket must be ordered separately.	
K2.0010513	artemis Super Post / 1.8" / GPI Pro 900 gr 70x70x1350 mm artemis telescopic centre post / Ø 1.8" diameter / carbon fibre / no-tool clamp / torsion-free guided inner post / length fine trim. For all GPI Pro rigs. Length 45 cm - 72 cm / 16.9" - 28.3" Note: Docking Bracket must be ordered separately.	
K2.0010461	artemis Post Tool 1.8" / 1.5" 60 gr 10x60x150 mm	
K2.0010287	TRINITY Joystick / Monitor Mount 300 gr 50x150x150 mm Thumb control for the tilt axes Perfect For the use with ARRI Starlight monitors For all TRINITY systems	

Camera Stabilizer Systems (artemis / TRINITY)

Ident Nr	Product Description/Weight & Dimensions	
K2.0012447	TRINITY Joystick / Monitor Mount / 2 pin 300 gr 50x150x150 mm Thumb control for the tilt axes Perfect For the use with Transvideo Starlight monitors (Leomo 2 Pin) For all TRINITY systems	
K2.0010288	TRINITY Battery Mount / Gold Mount 300 gr 60x110x130 mm Anton Bauer Gold Mount Battery Mount Cable / Lemo 1B 2pin plug For the use with TRINITY, artemis Cine Broadcast, EFP HD, Cine HD Systems	
K2.0010289	TRINITY Battery Mount / V-Mount 300 gr 60x110x140 mm V-Mount Battery Mount Cable / Lemo 1B 2pin plug For the use with TRINITY, artemis Cine Broadcast, EFP HD, Cine HD Systems	
K2.0010500	artemis Spring Set 19 kg / 41.8 lb. 1500 gr 80x150x150 mm Complete spring set incl. one spring set for each arm segment Capacity: 19 kg / 41.8 lb. For all artemis spring arms	
K2.0010501	artemis Spring Set 23 kg / 50.7 lb. 1550 gr 80x150x150 mm Complete spring set incl. one spring set for each arm segment Capacity: 23 kg / 50.7 lb. For all artemis spring arms	

Camera Stabilizer Systems (artemis / TRINITY)

Ident Nr	Product Description/Weight & Dimensions
----------	---

K2.0010502	artemis Spring Set 26 kg / 57.3 lb.
-------------------	--

	<i>1600 gr 80x150x150 mm</i>
--	-----------------------------------

Complete spring set incl. one spring set for each arm segment

Capacity: 26 kg / 57.3 lb.

For all artemis spring arms



K2.0010433	C-Stand Turtle Base
-------------------	----------------------------

	<i>5300 gr 60x600x950 mm</i>
--	-----------------------------------

C-Stand incl. removable Turtle Base

Max. height 155 cm (61'')

For all artemis systems and the Spider



Camera Stabilizer Systems (artemis / TRINITY)

Ident Nr	Product Description/Weight & Dimensions
----------	---

artemis Cases & Raincovers

Protection for the mechanical artemis stabilizer systems, TRINITY and MAXIMA

K2.0010462 Steadi Sleeve

1500 gr 220x400x750 mm

Soft bag for the complete rig / Cordura

Interior Length: 70 cm / 27.55"

Interior Width: 42 cm / 16.53"

Interior Depth: 14 cm / 5.5"

For all artemis systems



K2.0010438 SKB Case Medium

10000 gr 320x530x810 mm

The 3I-2918-10BE features three protected hinges with stainless steel pins to provide lid stability, SKB's "trigger release" latch system, an oversized double grip carrying handle to balance a heavy load, and comfortable.

Interior Length: 73,66 cm / 29"

Interior Width: 45,72 cm / 18"

Interior Depth: 27,56 cm / 10.85"

For artemis Cine Broadcast / Cine HD Pro / EFP HD



K2.0010439 SKB Case High

10600 gr 400x530x810 mm

The 3I-2918-14B Pro Audio Utility Case measures an impressive 29" Long x 18" Wide x 14" Deep, is molded of ultra high-strength polypropylene copolymer resin, and features a gasketed, water and dust tight, submersible design.

Interior Length: 73,66 cm / 29"

Interior Width: 45,72 cm / 18"

Interior Depth: 36.83 cm / 14.5"

For artemis Arm, Vest and C-Stand



K2.0010463 Arm Soft Bag

1400 gr 100x250x800 mm

Spring arm soft bag / Cordura

For all artemis Spring Arms



Camera Stabilizer Systems (artemis / TRINITY)

Ident Nr	Product Description/Weight & Dimensions
----------	---

K2.0010464	Vest Soft Bag 500 gr 250x500x500 mm Cordura For all artemis Vests
-------------------	--



K2.0010465	Rain Cover Spring Arm 300 gr 30x150x350 mm Rain and dust protection For all artemis Spring Arms
-------------------	--



K2.0010466	Rain Cover Lower Sled 300 gr 50x200x400 mm Rain and dust protection for the lower sled For all artemis systems
-------------------	---



K2.0010467	Rain Cover HD 6" 300 gr 80x180x240 mm Rain and dust protection / for Transvideo HD 6" monitor Only For Transvideo monitors
-------------------	---



K2.0010468	Rain Cover HD 8" 300 gr 80x200x280 mm Rain and dust protection / for Transvideo HD 8" monitor Only For Transvideo monitors
-------------------	---



Camera Stabilizer Systems (MAXIMA)

Ident Nr	Product Description/Weight & Dimensions
----------	---

MAXIMA

K0.0010628 MAXIMA Pro Set / Gold Mount

includes:
 K2.0010515 1x Maxima MX30 / Gold Mount
 K2.0010337 1x Wireless Remote for Maxima
 K2.0010538 1x Cam Power / Cine / 12V HiCap / ALEXA
 K2.0010540 1x Cam Power / Cine / 12V HiCap / ALEXA Mini



K0.0010626 MAXIMA Pro Set / V-Mount

includes:
 K2.0010423 1x Maxima MX30 / V-Mount
 K2.0010337 1x Wireless Remote for Maxima
 K2.0010538 1x Cam Power / Cine / 12V HiCap / ALEXA
 K2.0010540 1x Cam Power / Cine / 12V HiCap / ALEXA Mini



K0.0010629 MAXIMA Mounting Basic Set

includes:
 K2.0010336 1x Top Holder for Maxima
 K2.0010425 1x Spider for Maxima



K0.0012302 MAXIMA Mounting Pro Set

includes:
 K2.0010336 1x Top Holder for Maxima
 K2.0010425 1x Spider for Maxima
 K2.0010426 1x Euro Mount for Spider
 K2.0010427 1x Mitchel Mount for Spider

Camera Stabilizer Systems (MAXIMA)

Ident Nr	Product Description/Weight & Dimensions
----------	---

MAXIMA Accessories & Components

K2.0010337 Wireless Remote for Maxima

500 gr 80x110x200 mm

Bidirectional 2,4 GHz Diversity wireless control for Tilt - Pan - Roll.
1,5"OLED display for status and profile information.
Range up to 250 meter / 820 ft.
For TRINITY and MAXIMA



K2.0010424 Thumb Controller for Maxima

100 gr 40x70x70 mm

Mini joystick control which can be mounted at the frame of the MAXIMA right above the rubber handle.
For Tilt and Pan. Roll have to be done with the wireless remote control.
For MAXIMA

K2.0010336 Top Holder for Maxima

400 gr 120x140x130 mm

Top Holder to mount the Maxima MX30 on cranes, Jib arms and rigs.



K2.0010425 Spider for Maxima

900 gr 110x170x190 mm

Mounting Bracket to use the MAXIMA with Spring Arms using the standard 5/8" arm post. With the optional Euro and Mitchell mounts, the Spider can be used on Dollies and Cranes
Optional mounts: Euro mount and Mitchel mount



K2.0010426 Euro Mount for Spider

1200 gr 60x80x110 mm

Allows to use the Spider with Dollies and Cranes, which using Euro mount
Works only with the Spider

K2.0010427 Mitchel Mount for Spider

1100 gr 100x170x170 mm

Allows to use the Spider with Dollies and Cranes, which using Mitchel mount.
Works only with the Spider

Camera Stabilizer Systems (MAXIMA)

Ident Nr	Product Description/Weight & Dimensions
----------	---

MAXIMA Cases

K2.0010529	Hard Case / Maxima MX30 <i>14000 gr 410x680x690 mm</i>
-------------------	--

Hard Case for Maxima MX30 incl. accessories.

The Case is constructed of ultra high-strength polypropylene copolymer resin and feature a gasketed, waterproof, submersible design (IP67) that is resistant to corrosion and impact damage. It comes with a 2 lay

Interior Length: 60.96 cm / 24"

Interior Width: 60.96 cm / 24"

Interior Depth: 35.56 cm / 14"

For all MAXIMA systems



Monitors

Ident Nr	Product Description/Weight & Dimensions
----------	---

Monitors

K0.0012250 artemis 6'' Super Bright Monitor Pro Set

includes:

K2.0010321 1x artemis Monitor Bracket 6'' / 140 mm Rods / 1.5'' clamp

K2.0010521 1x Transvideo CineMonitorHD6 SBL Evolution

K2.0010546 1x 12V Power Cable / Camera & Monitor

K2.0010476 1x Video Cable / HD SDI / 4.5 GHz / BNC -> BNC



K0.0012252 artemis 6'' Super Bright XBL Monitor Pro Set

includes:

K2.0010321 1x artemis Monitor Bracket 6'' / 140 mm Rods / 1.5'' clamp

K2.0010522 1x Transvideo CineMonitorHD6 XSBL Evolution

K2.0010546 1x 12V Power Cable / Camera & Monitor

K2.0010476 2x Video Cable / HD SDI / 4.5 GHz / BNC -> BNC



K0.0012254 artemis 8'' Super Bright Monitor Pro Set

includes:

K2.0010322 1x artemis Monitor Bracket 8'' / 140 mm Rods / 1.5'' clamp

K2.0010523 1x Transvideo CineMonitorHD8 SBL Evolution

K2.0010546 1x 12V Power Cable / Camera & Monitor

K2.0010476 2x Video Cable / HD SDI / 4.5 GHz / BNC -> BNC



K0.0012253 artemis 7'' Rainbow Monitor Pro Set

includes:

K2.0010321 1x artemis Monitor Bracket 6'' / 140 mm Rods / 1.5'' clamp

K2.0010430 1x Transvideo Rainbow HD 7 SBL

K2.0010546 1x 12V Power Cable / Camera & Monitor

K2.0010476 2x Video Cable / HD SDI / 4.5 GHz / BNC -> BNC

K0.0012303 TRINITY Monitor 5'' ARRI Starlight Pro Set

includes:

K2.0006960 1x Transvideo StarliteHD5-ARRI OLED Monitor

K2.0010295 1x ALEXA Mini / AMIRA Control Cable 6 Pin



Monitors

Ident Nr	Product Description/Weight & Dimensions
----------	---

K0.0010627 MAXIMA Monitor Set 5'' Starlight

includes:

K2.0010528 1x Transvideo StarliteHD5 OLED Monitor

K2.0010550 1x Video Power Cable / Transvideo / 12V

K2.65020.0 1x Universal Mounting Arm UMA-120



K0.0010630 MAXIMA Monitor Set / 5'' ARRI / Starlight

includes:

K2.0006960 1x Transvideo StarliteHD5-ARRI OLED Monitor

K2.0010295 1x ALEXA Mini / AMIRA Control Cable 6 Pin

K2.65020.0 1x Universal Mounting Arm UMA-120



Cables and Power Supplies

Ident Nr	Product Description/Weight & Dimensions
----------	---

Power Supplies and Power Cables

K0.0012269 artemis Cine Cables Basic Set

includes
 K2.0010470 1x Cam Power / Cine / 12V XLR HiCap
 K2.0010471 1x Cam Power / Cine / 24V / ARRI
 K2.0010538 1x Cam Power / Cine / 12V HiCap / ALEXA
 K2.0010469 1x Cam Power / Cine - EFP / 12V XLR



K0.0012270 artemis EFP Cables Basic Set

includes:
 K2.0010473 1x Cam Power / EFP / 12V XLR HiCap
 K2.0010474 1x Cam Power / EFP / 12V HiCap / ALEXA
 K2.0010544 1x Cam Power / EFP / 12V HiCap / ALEXA Mini
 K2.0010475 1x Cam Power / EFP / 12V HiCap / Red EPIC



K2.0010290 TRINITY PWR / Lemo 1B 4pin -> 1B 4pin

40 gr 20x20x80 mm

Cable to power the system through the Top Stage from the Battery Hanger
 Power cable / Lemo 1B 4pin -> 1B 4pin
 For artemis Cine Broadcast / Cine HD Pro with high capacity power out



K2.0010291 TRINITY PWR / Lemo 1S 3pin -> 1B 4pin

40 gr 20x20x80 mm

Cable to power the system through the Top Stage from the Battery Hanger
 Power cable / Lemo 1S 3pin -> 1B 4pin
 For artemis Cine Broadcast / Cine HD Pro / EFP HD with high capacity power out



Cables and Power Supplies

Ident Nr	Product Description/Weight & Dimensions
----------	---

K2.0010292	TRINITY PWR / Lemo 1B 4pin -> 2B 8pin
-------------------	---

40 gr 20x20x80 mm

Cable to power the system through the Top Stage from the Battery Hanger
Power cable / Lemo 1S 3pin -> 1B 4pin
For artemis EFP HD



K2.0010296	TRINITY External Power Cable
-------------------	-------------------------------------

100 gr 20x50x2000 mm

External power cable to use the TRINITY head as a stand-alone Gimbal
Anton Bauer D-Tab -> Lemo 1S 4pin
12V



K2.0010301	TRINITY PWR / GPI Pro / Lemo 1S 3pin -> 1B 4pin
-------------------	---

40 gr 20x20x80 mm

Cable to power the system through the Top Stage from the Battery Hanger
Power cable / Lemo 1S 3pin -> 1B 4pin
For GPI Pro



K2.0010302	TRINITY PWR / GPI Pro / Lemo 2B 3pin -> 1B 4pin
-------------------	---

40 gr 20x20x80 mm

Cable to power the system through the Top Stage from the Battery Hanger
Power cable / Lemo 2B 3pin -> 1B 4pin
For GPI Pro



K2.0010295	ALEXA Mini / AMIRA Control Cable 6 Pin
-------------------	---

30 gr 20x20x550 mm

ARRI Amira & ALEXA Mini Control Cable
Lemo 0B 306 -> 0B 305
For TRINITY and MAXIMA



Cables and Power Supplies

Ident Nr	Product Description/Weight & Dimensions
----------	---

K2.0010469	Cam Power / Cine - EFP / 12V XLR
-------------------	---

<i>100 gr</i>	<i>20x20x550 mm</i>
---------------	---------------------

12V XLR camera power cable / Lemo 1S 3pin -> XLR 4pin / for video cameras / for ARRI SR I & ARRI SR II & Aaton

12 Volt

For artemis Cine Broadcast / Cine HD Pro / Cine HD / Cine / EFP HD / EFP



K2.0010470	Cam Power / Cine / 12V XLR HiCap
-------------------	---

<i>100 gr</i>	<i>20x20x550 mm</i>
---------------	---------------------

12V XLR HiCap camera power cable / Lemo 1B 4pin -> XLR 4pin / for video cameras / for ARRI SR I & ARRI SR II & Aaton

12 Volt / High Capacity

For artemis Cine Broadcast / Cine HD Pro / TRINITY / MAXIMA



K2.0010471	Cam Power / Cine / 24V / ARRI
-------------------	--------------------------------------

<i>100 gr</i>	<i>20x20x550 mm</i>
---------------	---------------------

24V camera power / Lemo 1S 3pin -> Fischer 2pin / for ARRI SR III & LT & 435 & 535

24 Volt

For artemis Cine Broadcast / Cine HD Pro / Cine HD / Cine



K2.0010538	Cam Power / Cine / 12V HiCap / ALEXA
-------------------	---

<i>100 gr</i>	<i>20x20x550 mm</i>
---------------	---------------------

12V HiCap camera power cable / Lemo 1B 4pin -> 2pin Fischer / for ARRI ALEXA

12 Volt / High Capacity

For artemis Cine Broadcast / Cine HD Pro / TRINITY / MAXIMA



K2.0010540	Cam Power / Cine / 12V HiCap / ALEXA Mini
-------------------	--

<i>100 gr</i>	<i>20x20x550 mm</i>
---------------	---------------------

12V HiCap camera power cable / Lemo 1B 4pin -> Lemo 2B 8pin / for ARRI AMIRA & ALEXA Mini

12 Volt / High Capacity

For artemis Cine Broadcast / Cine HD Pro / TRINITY / MAXIMA



Cables and Power Supplies

Ident Nr	Product Description/Weight & Dimensions	
K2.0010565	Cam Power / Cine / 12V HiCap / ALEXA Mini / 90° <i>100 gr 20x20x550 mm</i> 12V HiCap 90° angled camera power cable / Lemo 1B 4pin -> Lemo 2B 8pin / for ARRI AMIRA & ALEXA Mini 12 Volt / High Capacity For artemis Cine Broadcast / Cine HD Pro / TRINITY / MAXIMA	
K2.0010472	Cam Power / Cine / 12V HiCap / Red EPIC <i>100 gr 20x20x550 mm</i> 12V HiCap camera power cable / Lemo 1B 4pin -> Lemo 1B 6pin / for Red Epic 12 Volt / High Capacity For artemis Cine Broadcast / Cine HD Pro / TRINITY / MAXIMA	
K2.0010473	Cam Power / EFP / 12V XLR HiCap <i>100 gr 20x20x550 mm</i> 12V XLR HiCap camera power cable / Lemo 2B 6pin -> XLR 4pin / for video cameras / for ARRI SR I & ARRI SR II & Aaton 12 Volt / High Capacity For artemis EFP HD	
K2.0010474	Cam Power / EFP / 12V HiCap / ALEXA <i>100 gr 20x20x550 mm</i> 12V HiCap camera power cable / Lemo 2B 6pin -> 2pin Fischer / for ARRI ALEXA 12 Volt / High Capacity For artemis EFP HD	
K2.0010543	Cam Power / EFP / 12V HiCap / ALEXA Mini / 90° <i>100 gr 20x20x550 mm</i> 12V HiCap 90° angled camera power cable / Lemo 2B 6pin -> Lemo 2B 8pin / for ARRI AMIRA & ALEXA Mini 12 Volt / High Capacity For artemis EFP HD	

Cables and Power Supplies

Ident Nr	Product Description/Weight & Dimensions
----------	---

K2.0010544	Cam Power / EFP / 12V HiCap / ALEXA Mini
-------------------	---

<i>100 gr</i>	<i>20x20x550 mm</i>
---------------	---------------------

12V HiCap camera power cable / Lemo 3B 6pin -> Lemo 2B 8pin / for ARRI AMIRA & ALEXA Mini

12 Volt / High Capacity

For artemis EFP HD



K2.0010475	Cam Power / EFP / 12V HiCap / Red EPIC
-------------------	---

<i>100 gr</i>	<i>20x20x550 mm</i>
---------------	---------------------

12V HiCap camera power cable / Lemo 2B 6pin -> Lemo 1B 6pin / for Red Epic

12 Volt / High Capacity

For artemis EFP HD



K2.0010546	12V Power Cable / Camera & Monitor
-------------------	---

<i>100 gr</i>	<i>20x20x550 mm</i>
---------------	---------------------

12V power cable / Lemo 0B 2pin -> 12V XLR 4pin

12 Volt

For all artemis systems / TRINITY & MAXIMA



K2.0010477	Monitor Cable / SD / Lemo 8pin -> 8 pin
-------------------	---

<i>100 gr</i>	<i>20x20x550 mm</i>
---------------	---------------------

Monitor cable / Lemo 8pin -> Lemo 8pin / for Transvideo CineHD 6" & 8" & GPI Pro & XCS TB6 monitors

SD Video only

For artemis Cine Broadcast / Cine HD Pro / Cine HD / Cine / GPI Pro / TRINITY / MAXIMA



K2.0012465	Monitor Power Cable / ARRI Starlight / 5pin
-------------------	--

<i>50 gr</i>	<i>20x550x20 mm</i>
--------------	---------------------

12V power cable / Lemo 0B 4pin -> Lemo 05pin / for ARRI Starlight

For all artemis systems / TRINITY & MAXIMA



Cables and Power Supplies

Ident Nr	Product Description/Weight & Dimensions
----------	---

K2.0010547	Monitor Power Cable / Starlight / 2pin
-------------------	---

50 gr 20x20x550 mm

12V power cable / Lemo 0B 2pin -> Lemo 0B 2pin / for Transvideo Starlight

12 Volt

For all artemis systems / TRINITY & MAXIMA



K2.0010548	Focus Power Cable / ARRI & C-Motion
-------------------	--

50 gr 20x20x250 mm

4pin Lemo 0S -> 3pin Fischer (RS) / for ARRI & C-Motion

12 Volt

For artemis Cine Broadcast / Cine HD Pro / Cine HD / Cine / GPI Pro / TRINITY / MAXIMA



K2.0010549	Focus Power Cable / Fox & Aladin
-------------------	---

50 gr 20x20x250 mm

4pin Lemo 0S -> 4pin Hirose, 12 V / for Fox & Aladin focus receiver

Focus

For artemis Cine Broadcast / Cine HD Pro / Cine HD / Cine / GPI Pro / TRINITY / MAXIMA



K2.0010478	Focus Power Cable / Preston / 12V
-------------------	--

50 gr 20x20x250 mm

4pin Lemo 0S -> 4pin Hirose, 12 V / for Preston focus receiver

12 Volt

For artemis Cine Broadcast / Cine HD Pro / Cine HD / Cine / GPI Pro / TRINITY / MAXIMA



K2.0010479	Focus Power Cable / Bartech / 12V
-------------------	--

50 gr 20x20x250 mm

4pin Lemo 0S -> 2pin Lemo 0B, 12 V / for Bartech focus receiver

12 Volt

For artemis Cine Broadcast / Cine HD Pro / Cine HD / Cine / GPI Pro / TRINITY / MAXIMA



Cables and Power Supplies

Ident Nr	Product Description/Weight & Dimensions
----------	---

K2.0010480	Focus Power Cable / Scorpio / 12V
-------------------	--

50 gr 20x20x250 mm

4pin Lemo 05 → 3pin Lemo 0B / 12V Power

Focus Power

For artemis Cine Broadcast / Cine HD Pro / Cine HD / Cine / GPI Pro / TRINITY / MAXIMA



K2.0010551	Video Power Cable / Lemo 0B 2pin / 12V
-------------------	---

50 gr 20x20x450 mm

4pin Lemo 0B → 2pin Lemo 0B / 12 V

Video Power (Teradek & Transvideo)

For artemis Cine Broadcast / Cine HD Pro / Cine HD / Cine / GPI Pro / TRINITY / MAXIMA



K2.0010552	Main Cable / 3B / 2 x HD SDI / HiCap
-------------------	---

200 gr 20x20x750 mm

Main Cable with Lemo 3B plugs High Cap 12V & 24V / 2 x HD SDI / 1x SD Video /

Tally / Video Power

Only For the Cine Broadcast and upgraded systems



K2.0010481	Main Cable / 2B / 1 x HD SDI / HiCap
-------------------	---

180 gr 20x20x750 mm

Main Cable with Lemo 2B plugs High Cap 12V & 24V / 1 x HD SDI / 1x SD Video /

Tally / Video Power

For artemis Cine HD and EFP HD systems



Video Cables

K2.0010476	Video Cable / HD SDI / 4.5 GHz / BNC -> BNC
-------------------	---

50 gr 20x20x550 mm

4.5 GHz HD SDI BNC -> BNC for camera & monitor

80 cm / 31.5"

For all artemis systems / TRINITY & MAXIMA



Cables and Power Supplies

Ident Nr	Product Description/Weight & Dimensions
----------	---

Tally Cables

artemis TALLY systems for the mechanical artemis stabilizer systems and other stabilizer systems

K2.0010553 artemis Tally Kit for all artemis systems

400 gr 30x100x100 mm

artemis Tally Kit for all artemis systems.

Set including: upper Tally light, lower Tally light and the Tally sensor cable.

12V

For all artemis systems



K2.0010482 artemis Tally Sensor Cable

100 gr 20x20x500 mm

Tally Sensor Cable / Lemo 0B 4pin

For all artemis tally systems



K2.0010483 artemis lower Tally Red Light

100 gr 20x20x500 mm

Lower Tally light to be mounted at the monitor / Lemo 0S 3pin

For all artemis tally systems



K2.0010484 External Tally System (ETS)

400 gr 30x100x100 mm

External Tally system for Steadicam™, GPI, XCS and other systems. Set including: upper Tally light and electronic and Tally sensor cable.

Note:

Power cable and lower Tally must be ordered separately!

For Steadicam™, GPI, XCS and other systems.



K2.0010485 Monitor Tally Light (for ETS)

200 gr 20x20x500 mm

External monitor Tally light / for ETS



Cables and Power Supplies

Ident Nr	Product Description/Weight & Dimensions	
K2.0010554	Tally cable for Transvideo Monitors <i>100 gr 20x20x500 mm</i> Special Tally cable to trigger the on-screen Tally in the Transvideo CineHD Monitors with the artemis Tally system Only for Transvideo CineHD 6" and 8"	
K2.0010486	ETS Power / Steadicam <i>80 gr 20x20x250 mm</i> Power cable for external Tally system (ETS) / Hirose 4pin -> Hirose 4pin 12 Volt For Steadicam Master™	
K2.0010487	ETS Power / GPI Pro <i>80 gr 20x20x250 mm</i> Power cable for external Tally system (ETS) / Lemo S1 3pin -> Hirose 4pin 12 Volt For GPI Pro systems	
K2.0010488	ETS Power / Open End <i>50 gr 20x20x250 mm</i> Power cable for external Tally system (ETS) / Hirose 4pin -> open end 12 Volt Open End	