




16-28mm T3 Mark II Wideangle Zoom Lens







PL Mount

IMPROVED - NEW DESIGN

The highly innovative Tokina Cinema 16-28mm T3.0 has been re-engineered to meet the demanding needs of the professional cinematographer. Using the successful optical formula of the award winning still lens, Tokina engineers have created a lens that is Parfocal, has dramatically reduced breathing and image shift, and a de-clicked, 9-bladed, curved iris for beautiful bokeh and precise exposure control. With its 28cm close-focus capability, the lens allows you the freedom to capture a super wide-angle of view while still maintaining a tight perspective on your subject.

FEATURES:

- Full frame super-wide 16-28mm lens
- Fast Constant T3.0 Aperture Throughout the 16mm to 28mm Zoom Range
- Virtually No Breathing
- A Focus Rotation Angle of Approximately 300 Degrees
- High Resolution - Low Distortion
- Low Chromatic Aberration
- Aspherical Elements and Super-Low Dispersion Glass Reduce Distortion and Increase Optical Performance
- Durable, All-metal Cine-Style Housing with Geared Manual Zoom, Focus and Aperture Rings for Use in Follow-Focus Systems
- Common 114mm Front Diameter for Use with a Wide Variety of Matte Boxes and Accessories



SPECIFICATIONS:

Mount	PL	Canon EF	MFT	Sony E	Nikon F
-------	----	----------	-----	--------	---------



Independently geared zoom, focus and aperture controls for use in a variety of followfocus systems.

Mount	PL, Canon EF, MFT, Sony E, Nikon F
Focal Distance	16 – 28mm
Zoom Ratio	1.75:1
Optical Structure	13 groups /15 elements
Sensor Size	Full Frame 35mm
Minimum Focus Distance	0.28m (0.92 ft)
Maximum Macro Magnification	1:5.26
Zoom Mode	Rotary Zoom
Aperture/Iris Blades	9
Depth of Field	T3.0 – T22 (F2.8 – F22)
Filter Size	112 mm
Overall Length	PL Mount: 142mm (127mm from mount surface) Canon EF Mount: 140.5mm (135mm from mount surface) MFT Mount: 164mm (159.8mm from mount surface) Sony E Mount: 166.2mm (161mm from mount surface) Nikon F Mount: 137.6mm (132.5mm from mount surface)
Diameter of Front Head	114mm
Maximum Diameter	114mm
Weight	PL Mount: 1.75kg Canon EF Mount: 1.83kg MFT Mount: 1.89kg Sony E Mount: 1.89kg Nikon F Mount: 1.5kg

Estimated Time of Arrival : February 2017